

Bitwarden

Installation - Konfiguration

- [Installation und Konfiguration](#)
- [Anmeldung ohne Master Passwort](#)
- [Installation](#)

Installation und Konfiguration

```
apt update && apt upgrade -y
```

```
apt install curl -y
```

```
curl -sSL https://get.docker.com | sh
```

```
adduser bitwarden
```

```
passwd bitwarden
```

```
groupadd docker
```

```
usermod -aG docker bitwarden
```

```
mkdir /opt/bitwarden
```

```
chmod -R 700 /opt/bitwarden
```

```
chown -R bitwarden:bitwarden /opt/bitwarden
```

```
curl -Lso bitwarden.sh https://go.btwrdn.co/bw-sh && chmod 700 bitwarden.sh
```

```
curl -Lso bitwarden.sh "https://func.bitwarden.com/api/dl/?app=self-host&platform=linux" &&  
chmod 700 bitwarden.sh
```

```
#nano bitwarden.sh
```

```
#Zeile mit der Version abändern von 2023.2.0 auf 2023.1.0:
```

```
# Please do not create pull requests modifying the version numbers.
```

```
#COREVERSION="2023.1.0"
```

```
#WEBVERSION="2023.1.0"
```

```
#KEYCONNECTORVERSION="2022.5.0"
```

```
#nano bitwarden.sh
```

```
./bitwarden.sh install
```

```
./bitwarden.sh start
```

Befehle Bitwarden Optional:

```
nano bwdata/env/global.override.env
```

```
./bitwarden.sh rebuild
```

```
./bitwarden.sh restart
```

torsten@schoene.pro F4I3o1984#1

Installation Id: `d6804ff2- c82f- 4e83- a243- b03500a8755d`

Installation Key: `S0IDN6Nvg6WGGkCVbj0j`

Anmeldung ohne Master Passwort

<https://bitwarden.com/de-de/help/log-in-with-device/>

Installation

<https://bitwarden.com/de-de/help/install-on-premise-linux/>